

FORM PTO-1390 (Modified)  
(REV 11-98)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371

31185

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

09/762225

INTERNATIONAL APPLICATION NO.

PCT/SE99/01276

INTERNATIONAL FILING DATE

15 July 1999

PRIORITY DATE CLAIMED

31 July 1998

TITLE OF INVENTION

A DEVICE FOR AND A METHOD OF DETECTING A DISEASE OF THE UDDER OF AN ANIMAL

APPLICANT(S) FOR DO/EO/US

NELSON, Lennart; SJAUNJA, Lars

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
  - a. ☒ is transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☐ has been transmitted by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ A copy of the International Search Report (PCT/ISA/210).
8. ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
  - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☐ have been transmitted by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☐ have not been made and will not be made.
9. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
10. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

## Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☒ Certificate of Mailing by Express Mail
20. ☐ Other items or information:

Page 2 of 2

09/762225

JC02 Rec'd PCT/PTO 3 0 JAN 2001

Express Mail No. EL 759815795 US  
January 31, 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of:

NELSON, Lennart et al.

U.S. National Phase Application of  
International Application Serial No. :  
PCT/SE99/01276

International Filing Date: 15 July 1999

A DEVICE FOR AND METHOD OF  
DETECTING A DISEASE OF THE UDDER  
OF AN ANIMAL

---

Assistant Commissioner of Patents  
Box PCT  
Washington, D.C. 20231

Sir:

**PRELIMINARY AMENDMENT**

Please enter the following preliminary amendment prior to examination of this  
application on the merits:

**ABSTRACT**

Applicant submits herewith an abstract of the invention retyped on a separate page  
in conformance with U.S. practice. The abstract is taken from that appearing on the cover of the  
published international application.

# SPECIFICATION

Please amend the specification as follows:

At page 1, line 9, please delete "BACKGROUND OF THE INVENTION AND PRIOR ART" and substitute therefor:

-- BACKGROUND OF THE INVENTION

1. Field of the Invention --.

At page 1, line 28, please insert:

-- 2. Description of the Prior Art --.

# CLAIMS

Please amend the claims as follows:

1. (Amended) A device for detecting a disease of the udder of an animal, comprising:

means [(9)] for appreciating a parameter related to the quantity of milk extracted from a first teat and at least a second teat of said animal during at least one milking operation[,];

means [(6)] arranged to determine a deviation of said parameter of the first teat from a comparison value[,] and;

means [(7)] arranged to display said deviation as an indication of an inflammation of the first teat at least in the case that said deviation exceeds a certain level, [characterized in that]

wherein the determining means [(6)] is arranged to define said comparison value by including the level of said parameter regarding said second teat during said milking operation.

2. (Amended) A device according to claim 1, [characterized in that] wherein the first teat and said second teat form one of a rearward pair of teats of the udder [or] and a forward pair of teats of the udder.

3. (Amended) A device according to [any one of the preceding claims, characterized in that] claim 1, wherein said comparison value includes the level of said parameter of at least one preceding milking operation of said animal.

4. (Amended) A device according to claim 3, [characterized in that] wherein the determining means [(6, 8)] is arranged to consider the time interval between the milking operation and the immediately preceding milking operation of said animal for determining said deviation.

5. (Amended) A device according to [any one of the preceding claims, characterized in that] claim 1, wherein said parameter includes the quantity of milk produced during said milking operation and that the appreciating means [(9)] includes a milk measuring device.

6. (Amended) A device according to claim 5, [characterized in that] wherein the milk measuring device [(9)] includes a flow meter.

7. (Amended) A device according to [any one of the preceding claims, characterized in that] claim 1, wherein said parameter includes the time duration of said milking operation and that the appreciating means includes a time measuring device [(8)].

8. (Amended) A method of detecting a disease of the udder of an animal, comprising the steps of:

appreciating a parameter related to the quantity of milk extracted from a first teat and at least a second teat of said animal during at least one milking operation;

defining a comparison value by the level of said parameter regarding said second teat during said milking operation;

determining a deviation of said parameter of the first teat from said comparison value; and

indicating an inflammation of the first test at least in the case that said deviation exceeds a certain level.

9. (Amended) A method according to claim 8, comprising the further step of[:] displaying said deviation as an indication of an inflammation of the first teat in the case that said deviation exceeds a certain level.

10. (Amended) A method according to [any one of claim 8 and 9] claim 8, wherein the first said teat and said second teat form one of a rearward pair of teats of the udder [or] and a forward pair of teats of the udder.

11. (Amended) A method according to [any one of claims 8 to 10] claim 8, wherein said comparison value includes the level of said parameter of at least one preceding milking operation of said animal.

12. (Amended) A method according to claim 11, comprising the further step of[:] considering the time interval between said milking operation and the nearest preceding milking operation of said animal when determining said deviation.

13. (Amended) A method according to [any one of claims 8 to 12] claim 8, wherein said appreciating step includes measuring the quantity of milk extracted from the actual teat during said milking operation.

14. (Amended) A method according to [any one of claims 8 to 13] claim 8, wherein said appreciating step includes measuring the time duration of one milking operation of the actual teat.

Please add the following new claims:

15. A device according to claim 1, wherein said comparison valve includes the level of said parameter of at least one preceding milking operation of said animal.

16. A device according to claim 15, wherein said parameter includes the quantity of milk produced during said milking operation and that the appreciating means includes a milk measuring device.

17. A device according to claim 16, wherein said parameter includes the time duration of said milking operation and that the appreciating means includes a time measuring device.

18. A method according to claim 9, wherein said first teat and said second teat form one of a rearward pair of teats of the udder and a forward pair of teats of the udder.

19. A method according to claim 18, wherein said comparison valve includes the level of said parameter of at least one preceding milking operation of said animal.

20. A method according to claim 19, wherein said appreciating step includes measuring the time duration of one milking operation of the actual teat.


#### **REMARKS**

Applicant submits herewith a Preliminary Amendment for entry prior to computation of the fee and examination of the application on the merits. Applicant believes the amendment submitted herewith conform the application to U.S. practice and it is believed that the amendment to the claims places them in allowable form. Should the examiner have any questions which may

be resolved by telephone conference, it is requested that the examiner contact applicant's attorney at 1-800-445-3460. Should this amendment necessitate any additional fees it may be charged to Deposit Account No. 19-0522.

Respectfully submitted,

HOVEY, WILLIAMS, TIMMONS & COLLINS

By   
Thomas H. Van Hoozer, Reg. #32761  
Suite 400  
2405 Grand Boulevard  
Kansas City, Missouri 64108  
(816) 474-9050

(Docket No. 31185)



The invention refers to a device for and a method of detecting a disease of the udder of an animal. The device comprises means [(9)] for appreciating a parameter related to the quantity of milk extracted from a first and at least a second teat of said animal during at least one milking operation. Means [(6)] is arranged to determine a deviation of said parameter from a comparison value, and means [(7)] is arranged to display said deviation as an indication of an inflammation of the first teat in the case that said deviation exceeds a certain level. The determining means is arranged to define said comparison value by including the level of said parameter regarding said second teat during said milking operation.

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> :**A01J 5/013****A1**

(11) International Publication Number:

**WO 00/05943**

(43) International Publication Date:

10 February 2000 (10.02.00)

(21) International Application Number: PCT/SE99/01276

(22) International Filing Date: 15 July 1999 (15.07.99)

(30) Priority Data:

9802653-7

31 July 1998 (31.07.98)

SE

(71) Applicant (for all designated States except US): ALFA LAVAL  
AGRI AB [SE/SE]; P.O. Box 39, S-147 21 Tumba (SE).


(72) Inventors; and

(75) Inventors/Applicants (for US only): NELSON, Lennart  
[SE/SE]; Sjöströmsvägen 2, S-270 35 Blentarp (SE).  
SJAUNJA, Lars, Ove [SE/SE]; Fibyvägen 3, S-740 20  
Vänge (SE).(74) Agents: BERGLUND, Stefan et al.; Bjerkéns Patentbyrå KB,  
Östermalmsgatan 58, S-114 50 Stockholm (SE).

(81) Designated States: AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published***With international search report.**Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.*

(54) Title: A DEVICE FOR AND A METHOD OF DETECTING A DISEASE OF THE UDDER OF AN ANIMAL



## (57) Abstract

The invention refers to a device for and a method of detecting a disease of the udder of an animal. The device comprises means (9) for appreciating a parameter related to the quantity of milk extracted from a first and at least a second teat of said animal during at least one milking operation. Means (6) is arranged to determine a deviation of said parameter from a comparison value, and means (7) is arranged to display said deviation as an indication of an inflammation of the first teat in the case that said deviation exceeds a certain level. The determining means is arranged to define said comparison value by including the level of said parameter regarding said second teat during said milking operation.

5

A device for and a method of detecting a disease of the udder of an animal

BACKGROUND OF THE INVENTION AND PRIOR ART

10

The present invention refers to a device for detecting a disease of the udder of an animal, comprising means for appreciating a parameter related to the quantity of milk extracted from a first teat and at least a second teat of said animal during at least one milking operation, means arranged to determine a deviation of said parameter of the first teat from a comparison value, and means arranged to display said deviation as an indication of an inflammation of the first teat in the case that said deviation exceeds a certain level. Moreover, the invention refers to a method of detecting a disease of the udder of an animal.

20

The present invention is concerned with udder inflammation of animals, i.e. mastitis, which may be caused by an infection of microorganisms, such as bacteria, but also be the result of a trauma or hormonal imbalances. In all milk production, mastitis constitutes a significant problem with respect to animal comfort, increased workload, reduced production capacity, etc.

25

In the past, different methods and devices have been proposed for identifying mastitis. Such methods and devices include, for instance, conductivity and temperature measurements on the milk extracted. Such measurements require a rather complicated equipment and the result thereof is still not very reliable. It is also known to identify mastitis by means of laboratory tests, which although reliable is rather inconvenient, since it might take many days before the result of such a test is received by the farmer.

30

35

Furthermore, it is known that one part of the udder of a cow, i.e. a quarter of the udder, may be inflamed by mastitis whereas the other quarters thereof are still healthy. Consequently, it is  
5 important to be able to identify any inflammation on an individual teat basis, i.e. for each quarter udder.

US-A-4 325 028 discloses one example of a device for measuring the conductivity of the milk from each individual teat in a milk  
10 conduit between the teatcup and the claw in order to identify mastitis. The measurement equipment comprises a receiving device, provided in each such milk conduit and having electrodes located therein, and an electronic evaluation device. The constructions of the receiving devices are not described more  
15 closely. The aim of the device disclosed is to enable the determination whether the conductivity value of the milk from an individual teat is abnormal and thus whether any udder part is inflamed.

20 EP-B-137 367 discloses a milking device comprising measurement equipment for detecting the milk flow from an individual teat. The value detected may be employed for determining when the milking from this teat is to be interrupted. The measurement equipment comprises two electrodes for each milk flow to be detected.

25 US-A-5 116 119 discloses an apparatus for measuring the milk flow through a flow channel. By means of electromagnetic radiation, the momentary volume and the momentary velocity of the milk flowing through the channel may be determined.  
30 Consequently, it is possible to determine the milk quantity of each milking operation.

JP-A-5 317 343 discloses a device for diagnosing mastitis. The quantity of milk from each udder part of a cow is measured during  
35 one milking operation. The relation between the milk quantity from each udder part and the total quantity is calculated. If the

calculated relation deviates from the previously calculated relation by at least a pre-set value it is determined that the udder part in question is suffering from mastitis.

## 5 SUMMARY OF THE INVENTION

The object of the present invention is to provide a device and a method for detecting a disease, in particular an inflammation, of an individual teat in a simple and reliable manner.

10

This object is obtained by the device initially defined and characterized in that the determining means is arranged to define said comparison value by including the level of said parameter regarding said second teat during the milking operation. It has  
15 appeared that a deviation in the quantity of milk produced by a teat in relation to a normal quantity may indicate mastitis in the udder and the particular teat from which the milk has been extracted. Consequently, by making use of this knowledge it is possible to detect mastitis in an easy and convenient manner and thereby take  
20 appropriate measures at an early stage to prevent the disease from infecting further udder parts or animals. It has been found that if the milk quantity of one udder part deviates from the milk quantity of an other udder part of one animal, there is high probability that the udder deviating is infected by mastitis. The  
25 quantity of milk from one udder normally forms a certain percentage of the total milk quantity from the udder. Any deviation, especially reduction, of said percentage may indicate mastitis in the actual teat or udder part. Moreover, the first teat and said second teat may form one of a rearward pair of teats of the udder  
30 or a forward pair of teats of the udder. The milk yield from corresponding udder parts, e.g. from the two rear udder parts, is normally essentially equal whereas the milk yield from the rear udder parts is normally greater than the milk yield from the forward udder parts. Trials have shown that the difference in milk yield  
35 from a healthy udder part and an inflamed corresponding udder part might be 23%. By comparing corresponding udder parts in this

manner, no historical data regarding previous milking operations are necessary for the indication of mastitis. Moreover, normal variations in the milk yield need not be considered according to this embodiment. The comparison value may be based on one  
5 single second teat or on two or three second teats, for instance, forming an average value of the remaining second teats.

According to a further embodiment of the present invention, said comparison value includes the level of said parameter of at least  
10 one preceding milking operation of said animal. It is also possible to compare, for instance, the milk yield from different milking operations of one and the same teat or udder part. By collecting such historical data over a longer period of time, it is possible to determine a normal average parameter regarding the milk yield,  
15 which then may be included in the comparison value. Preferably, the determining means is arranged to consider the time interval between the milking operation and the immediately preceding milking operation of said animal for determining said deviation. For instance, in voluntary milking systems, the time interval between  
20 successive milking operations may vary. In order to obtain a comparable value of said parameter, it is advantageous to take account of this time interval.

According to a further embodiment of the present invention, said  
25 parameter includes the quantity of milk produced during said milking operation and the appreciating means comprises a milk measuring device. In such a manner, a milk meter or any other liquid measuring device, such as any kind of liquid flow meter, may be employed for each teat or udder part for determining said  
30 parameter.

According to a further embodiment of the present invention, said parameter includes the time duration of said milking operation and the appreciating means includes a time measuring device. It is  
35 appreciated that the duration of the milking operation of one teat or udder part reflects the quantity of milk obtained during this milking

operation. Consequently, by comparing the time duration of, for instance, the milking operation of two corresponding udder parts or between two successive milking operations of one teat or udder part, it is possible in an easy and convenient manner to detect an inflammation of an udder part.

The above object is also obtained by the method initially defined and comprising the steps of:  
appreciating a parameter related to the quantity of milk extracted from a first teat and at least a second teat of said animal during at least one milking operation,  
defining a comparison value by including the level of said parameter regarding said second teat during said milking operation,  
determining a deviation of said parameter of the first teat from said comparison value, and  
indicating an inflammation of the first teat in the case that said deviation exceeds a certain level.

Advantageous embodiments of the method are defined in the dependent claims 9 to 14.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will now be described more closely by means of various embodiments and with reference to the accompanying drawings, in which

Fig 1 shows a schematic view of a device according to the present invention, and  
Fig 2 shows a part of a device according to the present invention.

## DETAILED DESCRIPTION OF VARIOUS EMBODIMENTS OF THE PRESENT INVENTION

Fig 1 discloses a device for indicating mastitis in any of the teats  
5 or udder parts of an animal. The device according to the invention is connected to a milking machine, which may be of a conventional type and which is merely represented in the drawings by four teatcups 1, 2, 3 and 4 and four milk conduits 5 connecting each teatcup 1-4 to a milk-receiving member of the milking machine.

10 In the following it is referred to milking of a respective teat. However, by this expression is meant milking of a respective udder part, i.e. one of the two rear udder parts or one of the two front udder parts. As an example, the teatcups 1, 4 may be intended for  
15 milking of the front udder parts whereas the teatcups 2, 3 are intended for milking of the rear udder parts.

The device comprises a processing unit 6 provided to determine a deviation in a parameter related to the quantity of milk extracted  
20 from any of the four teats from a comparison value. The processing unit 6 is connected to or incorporates a display member 7. The display member 7 may be of a number of different types. For instance a screen, a number of indicating lamps or diodes, one for each teat, producing a light signal when a teat is inflamed, or  
25 any display disclosing the size of the deviation leaving to the farmer to conclude if the deviation indicates an inflammation or not. Furthermore, the processing unit 6 may be connected to or incorporate a time measuring unit 8 arranged to measure the duration of a milking operation of a teat and/or the time period  
30 between two successive milking operations of a teat.

Furthermore, the device according to the invention comprises appreciating means 9, one for each teatcup 1-4. The construction and function of the appreciating means 9 may vary according to  
35 different embodiments of the present invention. Fig 2 discloses an appreciating means 9 in the form of a milk measuring device



comprising a container 10 arranged to collect the milk produced during one milking operation. The milk measuring device comprises a sensor 11 arranged to sense the quantity of milk collected during the milking operation and transfer the sensed  
5 quantity to the processing unit 6. When the processing unit 6 has registered the milk quantity, a valve 12 is opened in order to convey the milk collected to the milk-receiving member of the milking machine. It is to be noted that also other types of milk measuring devices may be employed when realising the present  
10 invention, for instance the liquid measuring device disclosed in US-A-5 116 119.

The appreciating means 9 may also be realised by a device merely arranged to indicate whether there is a milk flow or not. Such a  
15 device is for instance disclosed in EP-B-137 367 mentioned above. Thereby the time measuring unit 8 may be arranged to measure the duration of the milking period, i.e. the time interval from the beginning of the milk flow through the conduit 5 until the end of the milk flow. It is appreciated that the duration of the milking  
20 operation reflects the quantity of milk produced during said milking operation, i.e. the interval appreciated forms said parameter.

According to an embodiment, the processing unit 6 is arranged to compare said parameter related to the quantity of milk from the two  
25 front teatcups 1, 4 or from the two rear teatcups 2, 3. In this case no time measuring unit 8 is necessary. Merely the fact that the quantity of milk from one of the front teats or the rear teats deviates from the other front teat and rear teat, respectively, is an indication that the actual teat may be inflamed by mastitis.

30

According to another embodiment, the processing unit 6 is arranged to compare said parameter between the actual milking operation and at least one previous milking operation. A deviation in quantity in the actual milking operation is an indication that the  
35 teat may be inflamed by mastitis. In this embodiment the processing unit 6 comprises a memory 13 arranged to store

historical data regarding said parameter of one or more previous milking operations for each teat. Preferably, an average value of said parameter of a great number of previous milking operations may be calculated by means of the processing unit 6. This average value may then be stored in the memory 13 and included in said comparison value.

It is to be noted that the comparison value is based on the parameter of another teat during one milking operation but historical data from one or several preceding milking operations may also be considered, as a supplementary information, when defining the comparison value in order to reduce any source of error.

It is also possible to define said parameter as the quantity of milk produced during a determined period of time by one teat of an animal, for instance during 24 hours, or by the total duration of milking during a determined period of time, i.e. the total time period when milk is actually flowing from a teat during 24 hours.

The present invention is not limited to the embodiments described above but may be varied and modified within the scope of the following claims.

### Claims

1. A device for detecting a disease of the udder of an animal, comprising means (9) for appreciating a parameter related to the quantity of milk extracted from a first teat and at least a second teat of said animal during at least one milking operation, means (6) arranged to determine a deviation of said parameter of the first teat from a comparison value, and means (7) arranged to display said deviation as an indication of an inflammation of the first teat at least in the case that said deviation exceeds a certain level, characterized in that the determining means (6) is arranged to define said comparison value by including the level of said parameter regarding said second teat during said milking operation.
2. A device according to claim 1, characterized in that the first teat and said second teat form one of a rearward pair of teats of the udder or a forward pair of teats of the udder.
3. A device according to any one of the preceding claims, characterized in that said comparison value includes the level of said parameter of at least one preceding milking operation of said animal.
4. A device according to claim 3, characterized in that the determining means (6, 8) is arranged to consider the time interval between the milking operation and the immediately preceding milking operation of said animal for determining said deviation.
5. A device according to any one of the preceding claims, characterized in that said parameter includes the quantity of milk produced during said milking operation and that the appreciating means (9) includes a milk measuring device.
6. A device according to claim 5, characterized in that the milk measuring device (9) includes a flow meter.

7. A device according to any one of the preceding claims,  
characterized in that said parameter includes the time duration of  
said milking operation and that the appreciating means includes a  
5 time measuring device (8).

8. A method of detecting a disease of the udder of an animal,  
comprising the steps of:  
appreciating a parameter related to the quantity of milk extracted  
10 from a first teat and at least a second teat of said animal during at  
least one milking operation,  
defining a comparison value by the level of said parameter  
regarding said second teat during said milking operation,  
determining a deviation of said parameter of the first teat from said  
15 comparison value, and  
indicating an inflammation of the first teat at least in the case that  
said deviation exceeds a certain level.

9. A method according to claim 8, comprising the further step  
20 of:  
displaying said deviation as an indication of an inflammation of the  
first teat in the case that said deviation exceeds a certain level.

10. A method according to any of claim 8 and 9, wherein the first  
25 said teat and said second teat form one of a rearward pair of teats  
of the udder or a forward pair of teats of the udder.

11. A method according to any one of claims 8 to 10, wherein  
said comparison value includes the level of said parameter of at  
30 least one preceding milking operation of said animal.

12. A method according to claim 11, comprising the step of:  
considering the time interval between said milking operation and  
the nearest preceding milking operation of said animal when  
35 determining said deviation.

13. A method according to any one of claims 8 to 12, wherein said appreciating step includes measuring the quantity of milk extracted from the actual teat during said milking operation.
- 5 14. A method according to any one of claims 8 to 13, wherein said appreciating step includes measuring the time duration of one milking operation of the actual teat.


PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>A01J 5/013</b>		<b>A1</b>	(11) International Publication Number: <b>WO 00/05943</b>
			(43) International Publication Date: 10 February 2000 (10.02.00)
(21) International Application Number: PCT/SE99/01276		(81) Designated States: AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 15 July 1999 (15.07.99)			
(30) Priority Data: 9802653-7 31 July 1998 (31.07.98) SE			
(71) Applicant (for all designated States except US): ALFA LAVAL AGRI AB [SE/SE]; P.O. Box 39, S-147 21 Tumba (SE).			
(72) Inventors; and			
(75) Inventors/Applicants (for US only): NELSON, Lennart [SE/SE]; Sjöströmsvägen 2, S-270 35 Blentarp (SE). SJAUNJA, Lars, Ove [SE/SE]; Fibyvägen 3, S-740 20 Vänge (SE).			
(74) Agents: BERGLUND, Stefan et al.; Bjerkéns Patentbyrå KB, Östermalmsgatan 58, S-114 50 Stockholm (SE).			
		<b>Published</b> With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	

(54) Title: A DEVICE FOR AND A METHOD OF DETECTING A DISEASE OF THE UDDER OF AN ANIMAL



## (57) Abstract

The invention refers to a device for and a method of detecting a disease of the udder of an animal. The device comprises means (9) for appreciating a parameter related to the quantity of milk extracted from a first and at least a second teat of said animal during at least one milking operation. Means (6) is arranged to determine a deviation of said parameter from a comparison value, and means (7) is arranged to display said deviation as an indication of an inflammation of the first teat in the case that said deviation exceeds a certain level. The determining means is arranged to define said comparison value by including the level of said parameter regarding said second teat during said milking operation.



Fig 1

Fig 2





**COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY**  
(includes Reference to PCT International Applications)

Attorney's docket No.

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**A DEVICE FOR AND A METHOD OF DETECTING A DISEASE OF THE UDDER OF AN ANIMAL**

the specification of which (check only one item below):

☐ is attached hereto.☐ was filed as United States application.

Serial No. \_\_\_\_\_

on \_\_\_\_\_

and was amended

on \_\_\_\_\_

(if applicable).

☒ was filed as PCT international application

Number PCT/SE99/01276

on 15/7/99

and was amended under PCT Article 19

on \_\_\_\_\_

(if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed.

**PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. 119:**

COUNTRY (if PCT indicate PCT)	APPLICATION NO.	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. 119
Sweden	9802653-7	31/7/98	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
			<input type="checkbox"/> YES <input type="checkbox"/> NO
			<input type="checkbox"/> YES <input type="checkbox"/> NO

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application:

Combined declaration for patent application and power of attorney (continued)  
(includes Reference to PCT International Applications)

Attorney's docket No.

PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. 120:

U.S. APPLICATIONS		STATUS (Check one)		
APPLICATION NO.	U.S. FILING DATE	PATENTED	PENDING	ABANDONED
PCT APPLICATIONS DESIGNATING THE U.S.				
APPLICATION NO.	FILING DATE	US SERIAL NO. ASSIGNED (if any)		
PCT/SE99/01276	15/7/99			

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number):

Robert D. Hovey 19,223  
Warren N. Williams 19,156  
Stephen D. Timmons 26,513  
John M. Collins 26,262  
Thomas H. Van Hoozer 32,761

Thomas B. Luebbering 37,874  
Andrew G. Colombo 40,565  
Tracy Bornman 42,347  
Tracey S. Truitt 43,205

9

Send correspondence to:  
HOVEY, WILLIAMS, TIMMONS & COLLINS  
2405 Grand Suite 400  
Kansas City, Missouri 64108

Direct telephone calls to:  
(816) 474-9050

FULL NAME OF INVENTOR (201)	FAMILY NAME Nelson	FIRST GIVEN NAME Lennart	SECOND GIVEN NAME
RESIDENCE & CITIZENSHIP	CITY Blomarp	STATE OR FOREIGN COUNTRY Sweden	COUNTRY OF CITIZENSHIP Sweden
POST OFFICE ADDRESS	POST OFFICE ADDRESS Sjöströmsvägen 2	CITY Blomarp	STATE & ZIP CODE/COUNTRY Sweden-27035
FULL NAME OF INVENTOR (202)	FAMILY NAME Sjaunja	FIRST GIVEN NAME Lars Ove	SECOND GIVEN NAME
RESIDENCE & CITIZENSHIP	CITY Vänge	STATE OR FOREIGN COUNTRY Sweden	COUNTRY OF CITIZENSHIP Sweden
POST OFFICE ADDRESS	POST OFFICE ADDRESS Pityvägen 3	CITY Vänge	STATE & ZIP CODE/COUNTRY Sweden-74020
FULL NAME OF INVENTOR (203)	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
DATE 29/3 2001	DATE 29 March 2001	DATE